Lamps and Magnifiers



Content

- 2 Content
- 4 Techne Artist & Drafting Lamp (35000)
- 6 Artist Studio Lamp + Stand (31375)
- 8 Luminos (35600)
- 10 Lumi Task Lamp (35500)
- 12 Slimline 3 Table (35108)
- 14 Wafer Lightboxes (35040), (35030), (35020)
- 16 UnoLamp (N1410), (N1420), (N1430)
- 18 DuoLamp (N1510), (N1520), (N1530)
- 20 Halo Magnifier 5D (25200) and 8D (25300)
- 22 Halo Go Rechargeable Magnifier (25201)
- 24 Slimline Magnifying Arm (91707)
- 25 Slimline Table Base (52107)
- 26 Professional Floorstand White (53060), Grey (53062)
- 27 Professional Table Base (52080), (52082)
- 28 Daylight LED Bulb (15800)
- 29 Customer Support



Unleash the artist in you with the right light

The Daylight Company was founded on the recognition that high quality lighting with optimal brightness and spread is vital to artists. Whether you are an artist working with watercolour, oils or pastels, a sculptor, or a graphic designer, we will have a light to suit your needs.

Techne Artist & Drafting Lamp (35000)

With a CRI of over 90, the high performance Techne Artist & Drafting Lamp enables you to achieve accurate colour matching.

The only lamp on the market that was truly designed for mounting on an easel, the Techne can also be attached to a drafting table, drawing board or a work bench. It comes with a universal easel metal clamp and a G-clamp for moving it from your easel to your drawing station. The arm allows a 360° shade rotation and 320° swivel. When working on an easel or at a table, the Techne lets you direct the light to the specific area you are working on for close-up precision and attention to detail.

- Wide and even light coverage
- 3 brightness levels
- 360° shade rotation
- 320° shade swive
- Universal easel clamp
- Drafting and drawing table G-clamp















Wide and even light coverage



Drafting and drawing table G-clamp



Easel clamp included




Artist Studio Lamp + Stand (31375)

Our Artist Studio lamp provides maximum light output over the largest area

This exceptionally versatile light is perfect for working on medium, large or very large surfaces and objects. It is also ideal for large canvasses, murals and sculptures. The large aluminium shade clips onto the tall tripod stand and can be adjusted into any position. The shade is light for easy movement and a second lamp can be attached for additional shadow-free lighting.

This sturdy stand can hold a second lamp with ease and without compromising stability.

- Lumens: 1.800
- Lux at 30 cm: 5,000
- Colour temperature: 6,500 K
- CRI: 80+
- Energy consumption: 18W
- LED rated life (hours): 50,000
- Touch dimmer: no
- Maximum reach: 16 cm [6.3"]







LED Daylight 18W Bulb included



Maximum light output over the largest area



Clamp-lock™ system



Luminos (35600)

One of the brightest lamps in the Daylight range, Luminos offers an exceptionally wide spread of light and an unrivalled light output.

Ideal for illuminating a large area, Luminos' ergonomic design and free motion head and arm allows you to effortlessly position and angle the shade exactly where needed. Easily adjust the intensity of the brightness and enjoy the exceptional reach of this lamp.

- Very long reach 112 cm
- 3 brightness levels
- Colour temperature: 6,000 K
- Free motion head and arm for perfect positioning
- Ultra wide shade for an even spread of light over a very large area







Lumi Task Lamp (35500)

Make your work shine with one of the brightest lamps in the Daylight range

Adjust the wide shade vertically, horizontally and laterally to optimise the position for a range of tasks. 88 high quality, powerful LEDs illuminate a wide area, enabling you to differentiate each shade and see delicate details clearly.







2-step touch dimmer



Multi-position head





Slimline 3 Table (35108)

The perfect blend of functionality, ergonomics and an unrivalled quality of light

The third generation of the Slimline is ideal for seeing intricate work clearly and in detail. Adapt brightness to your task with the four-step dimmer while flexible joints allow for accurate positioning. Elegant and durable, the Slimline allows you to work for extended periods with clarity and comfort.

- 4 brightness levels: 3,000 2,000 1,500 750 Lux
- Colour temperature: 6,000 K
- Maximum reach: 73 cm (28.7")
- Cable length: 2.4 m (94.5")







Non-obtrusive, brushed steel clamp (included)



Flexible joints for perfect positioning



Aluminium shade with full length diffuser



Wafer Lightboxes (35040), (35030), (35020)

Ultra bright, ultra slim and ultra light, the Daylight Wafer Lightbox is your must-have tool for tracing on paper or fabric.

The lighbox is lit with LEDs for an even brightness from edge to edge. Dim the light to suit your paper weight and fabric thickness and enjoy the handy marking guide displaying inches and centimetres on the sides of the light.





Wafer 1 A4 (35040)

Features

- 8 mm (0.31") thick
- Standard European A4 size
- Daylight light source provides true colour matching
- LED give an even brightness
- Fully dimmable with memory function
- Illuminated area: 23 cm x 32 cm [9" x 12.5"]

Wafer 2 A3 (35030)

Features

- 0.8 cm (0.3") thick
- Standard European A3 size
- Daylight light source provides true
 colour matching
- LED give an even brightness
- Fully dimmable with memory function
- Illuminated area: 44 cm x 32 cm [17" x 12.6"]

Wafer 3 A2 (35020)

- 0.8 cm (0.3") thick
- Standard European A2 size
- Daylight light source provides true colour matching
- LED give an even brightness
- Fully dimmable with memory function
- Illuminated area: 60 cm x 46 cm [23.6" x 18"]



Daylight light source provides true colour matching



LED give an even brightness



Touch dimmer: continuous dimmer with memory function



UnoLamp (N1410), (N1420), (N1430)

Boost your results with the right light

This slim, flexible table lamp has a modern design and sleek finish. UnoLamp's 28 high performance, energy efficient daylight LEDs provide high light output over a large area and are ideal for arts and crafts as well as reading. Choose from either a floor, desk or clamp base to best suit your needs.

UnoLamp Clamp (N1410) Features

- Cable length 1.7 m (5.5')
- Energy consumption 6W
- Colour white
- 4 steps touch dimmer
- LED rated life (hours) 50,000
- Lumens 400 lm
- Lux at 30 cm: 1,145
- Colour temperature 6,000 K

UnoLamp Table (N1420)

Features

- Cable length 1.5 m (4.9')
- Energy consumption 6W
- Colour white
- 4 steps touch dimmer
- LED rated life (hours) 50,000
- Lumens 400 lm
- Lux at 30 cm: 1,145
- Colour temperature 6,000 K

UnoLamp Floor (N1430)

- Cable length 1.8 m (5.9')
- Energy consumption 6W
- Colour white
- 4 steps touch dimmer
- LED rated life (hours) 50,000
- Lumens 400 lm
- Lux at 30 cm: 1,145
- Colour temperature 6,000 K



High light output over a large area



Flat and stable base



Touch switch dimmer with 4 brightness levels



DuoLamp (N1510), (N1520), (N1530)

Twice the light for your artwork

With two light sources, the DuoLamp fully illuminates workspaces, providing evenly distributed light for a variety of projects. It has two independently adjustable shades allowing high light output over a very wide are or an intense light over a small area. Our lighting is designed to be as close to natural light as possible, so you can be confident that you can see every colour as accurately as possible. Choose from either a floor, desk or clamp base to best suit your needs.



DuoLamp Clamp (N1510) Features

- Cable length 1.7 m (5.5')
- Energy consumption 10W
- Colour white
- 4 steps individual touch dimmer
- LED rated life (hours) 50.000
- Lumens 700 lm
- Lux at 30 cm: 2,090
- Colour temperature 6,000 K



DuoLamp Table (N1520)

Features

- Cable length 1.5 m [4.9]
- Energy consumption 10W
- Colour white
- 4 steps individual touch dimmer
- LED rated life (hours) 50.000
- Lumens 700 lm
- Lux at 30 cm: 2,090
- Colour temperature 6,000 K

DuoLamp Floor (N1530)

- Cable length 1.8 m (5.9')
- Energy consumption 13.5W
- Colour white
- 4 steps individual touch dimmer
- LED rated life (hours) 50.000
- Lumens 700 lm
- Lux at 30 cm: 2,090
- Colour temperature 6,000 K



Dual shade increases the illuminated workspace



Flat and stable base



56 high quality bright LEDs provide accurate colour matching



Halo Magnifier 5D (25200) and 8D (25300)

Power your projects, at home or away.

Small but strong, the Halo Lamp Magnifier is perfect for projects requiring extra attention. LEDs circle the magnification lens for an even distribution of light and accurate colour matching while the powerful lens provides optimum magnification. Carry this compact companion anywhere, with its foldable design and lens cover.

Halo 5D (25200)

Features

- Compact design
- 3 brightness levels
- 9 cm [3.5"] diameter lens
- 5 dioptres magnification lens (2.25X)
- 12 dioptres magnification inset lens (4.0X)
- Weight 0.7 kg (1.5 lb)
- Colour white / silver
- Cable length 2 m (6.5')
- Light source LED
- Lumens 315 lm
- Lux at 15cm [6"] 4.000
- Colour temperature 6.000 K
- Energy consumption 6W

Halo 8D (25300)

- Compact design
- 3 brightness levels
- 9 cm (3.5") diameter lens
- 8 dioptres magnification lens (3.0X)
- 20 dioptres magnification inset lens (6.0X)
- Weight 0.85 kg (1.9 lb)
- Colour white / silver
- Cable length 2 m (6.5')
- Light source LED
- Lumens 315 lm
- Lux at 15cm [6"] 4.000
- Colour temperature 6.000 K
- Energy consumption 6W



Compact design folds



High contrast and accurate colour matching



3 brightness levels



Halo Go Rechargeable Magnifier (25201)

No need for a power source, this lamp is perfectly portable

With a full charge, the USB rechargeable battery provides 8 hours of continuous brightness and uniform lighting. Carry this compact companion anywhere, using its foldable design and lens cover, and focus on the finest details with 5 dioptre (2.25X) magnification and a 12 dioptre (4.0X) inset lens.

- 2 brightness levels
- Battery level indicator
- USB-Rechargeable battery
- 4 hours on full brightness
- Up to 8 hours of consistent & continuous brightness
- 5 dioptres (2.25X) with 12 dioptres (4.0X) inset lens
- CRI 80+
- Light source LED
- Lumens 315 lm
- Lux at 15cm (6") steps 1-2 4,000-2,000
- Colour temperature 6,000 K
- Energy consumption 5W







USB-rechargeable battery with level indicator



Compact design that folds flat.



Up to 8 hours of consistent & continuous brightness



Slimline Magnifying Arm (91707)

Turn your Slimline into a strong magnifier

(91707) COMPATIBLE WITH:

Artist Studio Lamp + Stand (31375)

Slimline 3 Table: (35108),

Clip this magnifying arm onto the Slimline lamp stem for a sturdy tool for detailed work. The 13cm rimless diameter lens gives 1.75X magnification (3 dioptres) and its flexible arm allows for easy positioning. Use the Slimline Magnifying Arm to focus on intricate parts of your work without eye strain.



Slimline Table Base (52107)

This slim Table Base is designed to complement the Slimline Table.

With the same brushed steel finish, this is an ideal accessory for when the lamp cannot be attached with its clamp. This base is not compatible when the Magnifying Arm (D91707) is attached to the Slimline table lamp (35108).



(52107) COMPATIBLE WITH:

Slimline 3 Table: (35108)

24

Professional Floorstand White (53060), Grey (53062)

Professional Table Base (52080), (52082)

High quality 5 spoke floorstand

A unique and robust design enhances stability and supports the heaviest Daylight lamp and magnifiers. Easy to assemble, the floorstand glides smoothly across any surface. Available in white and grey.



This heavy duty table base supports all Daylight lamps and magnifiers

Easy to assemble, this durable table base enhances stability and supports the heaviest Daylight products. Available in grey and white.





(52080) COMPATIBLE WITH:

(35500) Lumi Task Lamp

(52082) COMPATIBLE WITH:

(35600) Luminos Lamp

Daylight LED Bulb (15800)

Daylight LED bulb 18W (ES)

New high performing daylight LED bulb. The bright LED emits true daylight with 6,000 K; it instantly switches on to full brightness and uses approximately 80% less energy*. Get 15,000 hours** of bright, unbreakable daylight with our shatterproof LED bulbs.



Features

- Daylight (6,500 K)
- 1,800 Lumens
- CRI: 80+
- 18W = 115W Equivalent
- Uses 80% less energy*
- 15,000 hour life**
- 15,000 Switching cycles
- Non Dimmable
- 220-240V 50/60Hz
- Fitting Type: ES

(15800) COMPATIBLE WITH:

(31375) Artist Studio Lamp + stand

Customer Support

Our customers are at the heart of what we do and our dedicated Customer Service team is here to answer any queries you may have as rapidly as possible. We love hearing from our customers and learning about their experiences with our products so don't hesitate to get in touch with us. We look forward to hearing from you.



GUARANTEE

We aim to provide the highest quality products that exceed our customers' expectations. All Daylight products are guaranteed against manufacturing faults for 2 years from the date of purchase.

For full terms and conditions visit: daylightcompany.com/terms-conditions

The Daylight Company Ltd reserves the right to modify or change any of the specifications listed without prior notice. Copyright © The Daylight Company

^{**}Approximate saving compared to an incandescent bulb

^{**15} years of light ~2.7 hours a day

The Head Office

The Daylight Company Ltd 89-91 Scrubs Lane London NW10 6QU

United Kingdom

T: 0800 055 77 11

E: info.uk@daylightcompany.com

United States of America

T: 1 866 329 5444

E: info.us@daylightcompany.com

Australia

T: 07 3283 3092

E: info.au@daylightcompany.com

France

T: 0800 941 020

E: info.fr@daylightcompany.com

Germany

T: 0800 329 2667

E: info.de@daylightcompany.com

International

T: +44(0) 208 964 1200

daylightcompany.com

